RESPONSE TO RESTRICTION REQUIREMENT AND ELECTION OF SPECIES

RESPONSE TO RESTRICTION REQUIREMENT AND ELECTION OF SPECIES

U.S. Appln. No.: 10/518,405 Atty. Docket No.: Q85416

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS:

1. (original): A tetrahydroquinoline derivative represented by the following formula (I) or pharmacologically acceptable salts thereof:

wherein R<sup>1</sup> represents a nitro group or a cyano group;

X represents CH or O, provided that when X is CH, the dashed line represents a double bond;

m represents 0 or 1;

Y represents an alkylene group having 1 - 5 carbon atoms which may be substituted by a substituent selected from the group consisting of an alkyl group having 1 - 5 carbon atoms and a cycloalkyl group having 3 - 7 carbon atoms;

R<sup>2</sup> represents a hydrogen atom, an alkyl group having 1 - 5 carbon atoms, a cycloalkyl group having 3 - 7 carbon atoms or an aralkyl group having 7 - 9 carbon atoms;

Z represents -B-O-Q

& PRELIMINARY AMENDMENT

U.S. Appln. No.: 10/518,405 Atty. Docket No.: Q85416

[wherein B represents an alkylene group having 1 - 5 carbon atoms which may be substituted by a substituent selected from the group consisting of an alkyl group having 1 - 5 carbon atoms and a cycloalkyl group having 3 - 7 carbon atoms; Q is a hydrogen atom, an alkyl group having 1 - 5 carbon atoms or a cycloalkyl group having 3 - 7 carbon atoms which may be substituted by a substituent selected from the group consisting of a halogen atom, a hydroxyl group, a cyano group and an alkoxy group having 1 - 5 carbon atoms, or an aryl group, a heteroaryl group or an aralkyl group having 7 - 9 carbon atoms which may have a substituent R<sup>3</sup>,

R<sup>3</sup> represents an alkyl group having 1 - 5 carbon atoms which may be substituted by a fluorine atom, a halogen atom, an aryl group, a heteroaryl group, a nitro group, a cyano group, - A-R4 {wherein A represents -CO-, -CO<sub>2</sub>-, -COS-, -CONR<sup>5</sup>-, -O-, -OCO-, -OSO<sub>2</sub>-, -S-, SCO-, -SO-, -SO<sub>2</sub>-, -NR<sup>5</sup>CO-, -NR<sup>5</sup>SO<sub>2</sub>-, -NR<sup>5</sup>CONH-, NR<sup>5</sup>CSNH- or -NR<sup>5</sup>COO- (wherein R<sup>5</sup> represents a hydrogen atom, an alkyl group having 1 - 5 carbon atoms, a cycloalkyl group having 3 - 7 carbon atoms or an aralkyl group having 7 - 9 carbon atoms),

R<sup>4</sup> is a hydrogen atom, an alkyl group having 1 - 5 carbon atoms which may be substituted by a fluorine atom, a cycloalkyl group having 3 - 7 carbon atoms, a halogen atom, or an aryl group or a heteroaryl group which may be substituted by R<sup>6</sup> (wherein R<sup>6</sup> represents an alkyl group having 1 - 5 carbon atoms, an alkoxy group having 1 - 5 carbon atoms or a halogen atom), provided that when A is NR<sup>5</sup>- or -CONR<sup>5</sup>-, R<sup>4</sup> and R<sup>5</sup> may, together with the nitrogen atom to which they are bonded, form pyrrolidine or piperidine)}, or -A'-(CH<sub>2</sub>)<sub>n</sub>-R<sup>4'</sup> {wherein A' represents a single bond, -CO-, -CO<sub>2</sub>-, -COS-, -CONR<sup>5'</sup>-, -O-, -OCO-, -OSO<sub>2</sub>-, -S-, SCO-, -SO-, -SO<sub>2</sub>-, -NR<sup>5'</sup>-, -NR<sup>5'</sup>CO-, -NR<sup>5'</sup>SO<sub>2</sub>-, -NR<sup>5'</sup>CONH-, NR<sup>5'</sup>CSNH- or -NR<sup>5'</sup>COO- (wherein R<sup>5'</sup>

& PRELIMINARY AMENDMENT

U.S. Appln. No.: 10/518,405

Atty. Docket No.: Q85416

represents a hydrogen atom, an alkyl group having 1 - 5 carbon atoms, a cycloalkyl group having 3 - 7 carbon atoms or an aralkyl group having 7 - 9 carbon atoms), n represents an integer of 1 or 2, R<sup>4</sup> represents a hydrogen atom, an alkyl group having 1 - 5 carbon atoms which may be substituted by a fluorine atom, a cycloalkyl group having 3 - 7 carbon atoms, a halogen atom, a hydroxyl group, a cyano group, an alkoxy group having 1 - 5 carbon atoms, an alkylacyloxy group having 2 - 5 carbon atoms, an alkoxycarbonyl group having 2 - 5 carbon atoms, an aryl group or a heteroaryl group which may be substituted by R<sup>6</sup> (wherein R<sup>6</sup> represents an alkyl group having 1 - 5 carbon atoms, an alkoxy group having 1 - 5 carbon atoms or a halogen atom), or -NR<sup>7</sup> R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup> each independently have the same meaning as the aforementioned R<sup>5</sup>, provided that R<sup>7</sup> and R<sup>8</sup> may, together with the nitrogen atom to which they are bonded, form pyrrolidine or piperidine), provided that when A' is -NR<sup>5</sup> or -CONR<sup>5</sup> , R<sup>4</sup> and R<sup>5</sup> may, together with the -N-(CH<sub>2</sub>)<sub>n</sub>- to which they are bonded, form pyrrolidine or piperidine or piperidine or piperidine or piperidine or piperidine), or alternatively Z represents -(CH<sub>2</sub>)<sub>r</sub>-W

[wherein r represents an integer of 0 - 2, W represents

a phenyl group having substituent  $R^9$  at p-position, a naphthyl group which may have substituent  $R^{10}$  or a heteroaryl group which may be substituted by 1 - 3 independent  $R^{11}$ 's (wherein  $R^9$ ,  $R^{10}$  and  $R^{11}$  independently have the same meaning as the aforementioned  $R^3$ )].

## RESPONSE TO RESTRICTION REQUIREMENT AND ELECTION OF SPECIES & PRELIMINARY AMENDMENT

U.S. Appln. No.: 10/518,405 Atty. Docket No.: Q85416

2. (original): The tetrahydroquinoline derivative according to claim 1, where Y is - CH(CH<sub>3</sub>)-CH<sub>2</sub>- or -C(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>-, X is CH, m is 0, R<sup>2</sup> is a hydrogen atom and Z is -CH<sub>2</sub>-O-Q (wherein Q represents an alkyl group having 1 - 5 carbon atoms) or pharmacologically acceptable salts thereof.

- 3. (original): The tetrahydroquinoline derivative according to claim 1, where Y is CH(CH<sub>3</sub>)-CH<sub>2</sub>- or -C(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>-, m is 0, R<sup>2</sup> is a hydrogen atom and Z is -W [wherein W is a heteroaryl group which may be substituted by 1 3 independent R<sup>11</sup>'s or a phenyl group having substituent R<sup>9</sup> at p-position {wherein R<sup>11</sup> and R<sup>9</sup> independently represent a halogen atom, an alkyl group having 1 5 carbon atoms which may be substituted by a fluorine atom, a nitro group, a cyano group, -A-R<sup>4</sup> (wherein A is -CO-, -CO<sub>2</sub>-, -O-, -NHCO- or -NHCONH-, and R<sup>4</sup> is a hydrogen atom or an alkyl group having 1 5 carbon atoms which may be substituted by a fluorine atom) or -A'-(CH<sub>2</sub>)n-R<sup>4</sup> (wherein A' is -CO-, -CO<sub>2</sub>-, -O-, -NHCO- or -NHCONH-, R<sup>4</sup> is a hydrogen atom, an alkyl group having 1 5 carbon atoms which may be substituted by a fluorine atom, a hydroxyl group, a halogen atom or an alkoxy group having 1 5 carbon atoms, and n is an integer of 1 or 2)}] or pharmacologically acceptable salts thereof.
- **4. (original):** The tetrahydroquinoline derivative according to claim 3, where Z is a phenyl group having substituent R<sup>9</sup> at p-position or a heteroaryl group having substituent R<sup>11</sup> {wherein R<sup>9</sup> and R<sup>11</sup> independently represent a halogen atom, -O-R<sup>4</sup> or -NHCO-R<sup>4</sup> (wherein R<sup>4</sup>

& PRELIMINARY AMENDMENT

U.S. Appln. No.: 10/518,405

Atty. Docket No.: Q85416

represents a hydrogen atom or an alkyl group having 1 - 5 carbon atoms which may be

substituted by a fluorine atom)} or pharmacologically acceptable salts thereof.

5. (original): The tetrahydroquinoline derivative according to claim 3, where Z is a

phenyl group having substituent R<sup>9</sup> at p-position or a heteroaryl group having substituent R<sup>11</sup>

{wherein R<sup>9</sup> and R<sup>11</sup> represent -NHCO-R<sup>4</sup> (wherein R<sup>4</sup> represents a hydrogen atom or an alkyl

group having 1 - 5 carbon atoms which may be substituted by a fluorine atom)} or

pharmacologically acceptable salts thereof.

6. (currently amended): A pharmaceutical comprising the The tetrahydroquinoline

derivative or pharmacologically acceptable salts thereof according to any one of claims 1 to 5 as

an active ingredientand a pharmaceutically acceptable carrier or excipient.

7. - 10. (canceled).

11. (original): A method of preventing or treating wasting disease or osteoporosis, which

comprises administering to a mammal in need of such prevention or treatment, the

tetrahydroquinoline derivative or pharmacologically acceptable salts thereof according to any

one of claims 1 to 5 in an amount effective to prevent or treat those diseases.

6

& PRELIMINARY AMENDMENT

U.S. Appln. No.: 10/518,405

Atty. Docket No.: Q85416

consisting of male hypogonadism, male sexual dysfunction, abnormal sex differentiation, male delayed puberty, cancer in female genital organ, breast cancer, mastopathy, endometriosis and female sexual dysfunction, which comprises administering to a mammal in need of such

12. (original): A method of preventing or treating a disease selected from the group

prevention or treatment, the tetrahydroquinoline derivative or pharmacologically acceptable salts

thereof according to any one of claims 1 to 5 in an amount effective to prevent or treat those

diseases.

13. (original): A method of preventing or treating hematopoietic dysfunction or diseases

related thereto, which comprises administering to a mammal in need of such prevention or

treatment, the tetrahydroquinoline derivative or pharmacologically acceptable salts thereof

according to any one of claims 1 to 5 in an amount effective to prevent or treat those diseases.

7